



BISON

LEGENDARY STANDARDS OF PERFORMANCE AND VALUE

SAVE UP TO 30%

LATHE CHUCKS

STEEL

SET-TRU™ SCROLL CHUCKS, 0.0004" TIR with Fine Adjustment

3-JAW with Two-Piece Hard Reversible Jaws

6-JAW with Two-Piece Hard Reversible Jaws



CHUCK DIA.	HOLE DIA.	RPM MAX	WT LBS	PART# 7-866	PRICE
5"	1.378	3800	11	0500	520.13
6.1/4"	1.654	3500	21	0600	551.63
8"	2.165	3100	35	0800	664.88
10"	2.992	2700	59	1000	843.00
12.1/2"	4.055	2200	105	1200	1306.50
15.3/4"	5.354	1800	201	1600	2169.00
20"	7.480	1200	377	2000	5430.75
25"	9.921	1000	630	2500	7507.50



CHUCK DIA.	HOLE DIA.	RPM MAX	WT LBS	PART# 7-868	PRICE
5"	1.378	3000	14	0500	736.50
6.1/4"	1.654	2500	25	0600	731.25
8"	2.165	2200	42	0800	918.75
10"	2.992	1900	78	1000	1167.75
12.1/2"	4.055	1500	128	1200	1538.25
15.3/4"	5.354	1500	250	1600	2712.00
20"	7.480	800	397	2000	6792.00
25"	9.921	700	647	2500	8835.40

For Mounting Plates Order P/N: A-Mount: 7-874, D-Mount: 7-875, L-Type: 7-879, C-Type: 7-920, Threaded: 7-876



PLAIN BACK, 3 JAW CHUCKS

MANY MORE CHUCKS WITH DIRECT MOUNT (A,D,L,C) ARE AVAILABLE.



STEEL AND SEMI-STEEL



CHUCK DIA.	HOLE DIA.	APPROX WEIGHT	PART#	SEMI STEEL 7-800	STEEL 7-820
5	1.26	10	0500	268.13	450.00
6.1/4	1.65	20	0600	289.50	490.13
8	2.17	35	0800	336.00	589.50
10	2.99	60	1000	440.25	762.00
12.1/2	4.06	100	1200	650.25	1065.75
15.3/4	5.35	180	1600	1119.00	1908.00
20	7.48	280	2000	2462.25	5109.00
25	9.92	500	2500	3722.25	7559.25
32	10.5	750	3200	7241.25	12394.20

Mounting Plates For Plain Back Chucks: A-Mount: 7-873 D-Mount: 7-878 L-Mount: 7-879 Threaded: 7-871

5" TO 15.3/4" & 32" CHUCKS

20" & 25" CHUCKS (with T-Slots)



OIL COUNTRY CHUCKS



STEEL

IN STOCK READY TO SHIP

Extra Large Thru-Hole 4 Jaw Independent, Extra Heavy Duty Chucks with Forged Steel Solid Body A2-DIRECT MOUNT, 4-JAW

CHUCK DIA.	TYPE OF MOUNTING	THRU HOLE	WEIGHT LBS	PART# 7-859	PRICE
16"	A2-8	5.3	320	1620	3123.75
	A2-11	6.5	302	1625	3379.50
20"	A2-11	6.5	450	2033	4333.50
	A2-15	8.0	414	2043	4333.50
25"	A2-15	10.5	684	2543	6609.75
	A2-20	12.55	662	2555	6609.75
28"	A2-15	10.5	915	2845	8986.60
	A2-20	12.55	873	2853	8986.60
32"	A2-15	10.5	1290	3243	10314.50
	A2-20	12.55	1246	3255	10314.50
40"	A2-20	14.5	-	3257	10314.50
	A2-28	20.86	1687	4063	33600.00

D1-DIRECT MOUNT (CAMLOCK) 4-JAW

CHUCK DIA.	TYPE OF MOUNTING	THRU HOLE	WEIGHT LBS	PART# 7-859	PRICE
16"	D1-8	5.3	300	6150	3553.50
	D1-11	6.5	282	6153	3560.25
20"	D1-8	5.3	468	6200	4716.75
	D1-11	6.5	452	6203	4716.75
28"	D1-11	7.5	993	6839	8983.80

CALL FOR MORE SIZES AND OPTIONS

CALL:

800-442-0042

LOCAL:

713-682-1889



www.basstool.com




BISON
LEGENDARY STANDARDS OF PERFORMANCE AND VALUE

V-FLANGE TOOLHOLDERS

PROMOTION

Bison

V-FLANGE "ER"
COLLET CHUCKS



Through the spindle coolant


TAPER NO	COLLET NO	COLLET CLAMP RANGE	D	H	WT. LBS.	COLLET CHUCK PART #	PRICE
CAT-40	ER 11	1/32-1/4	.73	2.5	2.2	7-188-003	85.40
				4	2.6	7-188-006	89.60
				4	2.6	7-188-006	89.60
	ER 16	1/8-7/16	1.30	2.5	2.8	7-188-415	89.25
				3	2.9	7-188-417	89.25
				4	3.2	7-188-418	91.70
	ER 20	1/8-1/2	1.38	2.5	3.4	7-188-420	90.30
				4	3.6	7-188-422	91.70
				4	3.6	7-188-422	91.70
	ER 25	1/8-5/8	1.65	2.5	4.0	7-188-424	91.70
4				4.5	7-188-426	94.50	
4				4.5	7-188-426	94.50	
ER 32	1/8-3/4	1.97	2.5	6.2	7-188-430	94.50	
			3	6.3	7-188-431	94.50	
			4	6.8	7-188-432	94.50	
ER 40	1/8-1	2.40	2.5	11.0	7-188-443	93.10	
			4	12.0	7-188-440	94.50	
			5	-	7-188-039	113.40	
CAT-50	ER 16	1/8-7/16	1.30	6	8.0	7-188-510	94.50
				6	7.7	7-188-520	92.05
	ER 20	1/8-1/2	1.38	6	8.4	7-188-525	97.65
				6	9.1	7-188-532	100.45
	ER 32	1/8-3/4	1.97	6	9.1	7-188-532	100.45
ER 40	1/8-1	2.40	2.5	15.9	7-188-543	113.40	
4	16.9	7-188-545	126.00				



Bison

CAT END MILL HOLDERS

SAVE 30%



TAPER	D	L1	D1	PART#	PRICE
CAT-40	1/8	1.3/8	.75	7-185-002	59.36
		2.1/2	.75	7-185-405	54.53
	3/16	1.3/8	.75	7-185-006	64.96
		2.1/2	.75	7-185-407	55.23
	1/4	1.3/8	.8125	7-185-012	63.14
		2.1/2	.8125	7-185-409	53.62
	5/16	1.3/8	.875	7-185-018	57.68
		2.1/2	.875	7-185-411	49.00
	3/8	1.3/8	1.06	7-185-412	55.79
		2.1/2	1.06	7-185-412	55.79
7/16	1.3/8	1.25	7-185-413	49.00	
	2.1/2	1.25	7-185-412	53.62	
1/2	1.3/4	1.75	7-185-034	58.24	
	2.5/8	1.375	7-185-413	50.47	
5/8	1.3/4	1.75	7-185-417	55.79	
	3.3/4	1.75	7-185-040	57.47	
3/4	1.3/4	1.75	7-185-431	53.06	
	5.1/2	1.75	7-185-437	56.28	
7/8	1.3/4	2.0469	7-185-048	57.47	
	3.1/2	2.0469	7-185-441	53.06	
1	1.3/4	2.375	7-185-447	56.28	
	4.1/4	2.375	7-185-054	60.13	
1.1/4	1.3/4	2.75	7-185-450	55.44	
	4.3/8	2.75	7-185-451	56.84	
1.1/2	1.3/4	3.1406	7-185-060	61.95	
	4.5/8	3.1406	7-185-461	58.94	
1.1/2	1.3/4	3.1406	7-185-465	65.73	
	4.5/8	3.1406	7-185-471	59.71	
1.1/2	1.3/4	3.1406	7-185-472	62.58	
	4.5/8	3.1406	7-185-475	68.18	
1.1/2	1.3/4	3.1406	7-185-481	77.35	
	4.5/8	3.1406	7-185-485	88.20	



TAPER	D	L1	D1	PART#	PRICE
CAT-50	1/4	1.3/8	13/16	7-185-102	81.20
		2.1/2	13/16	7-185-509	78.40
	5/16	1.3/8	7/8	7-185-108	83.65
		2.1/2	7/8	7-185-110	80.85
	3/8	1.3/8	1.1/16	7-185-511	79.70
		2.1/2	1.1/16	7-185-512	79.80
	7/16	1.3/8	1.1/4	7-185-513	90.30
		2.1/2	1.1/4	7-185-514	135.80
	1/2	1.3/8	1.3/8	7-185-516	77.35
		2.5/8	1.3/8	7-185-517	79.80
5/8	1.3/4	1.3/4	7-185-521	102.20	
	3.3/4	1.3/4	7-185-521	70.70	
3/4	1.3/4	1.3/4	7-185-522	85.05	
	5.3/4	1.3/4	7-185-522	90.30	
7/8	1.3/4	1.3/4	7-185-523	90.30	
	7.3/4	1.3/4	7-185-526	130.90	
1	1.3/4	1.3/4	7-185-533	92.05	
	3.3/4	1.3/4	7-185-534	102.20	
1.1/4	1.3/4	1.3/4	7-185-531	77.35	
	3.3/4	1.3/4	7-185-531	77.35	
1.1/4	1.3/4	1.3/16	7-185-542	87.15	
	3.3/4	1.3/16	7-185-543	92.40	
1.1/4	1.3/4	1.3/16	7-185-547	162.05	
	3.3/4	1.3/16	7-185-547	162.05	
1.1/4	1.3/4	2.3/64	7-185-142	102.20	
	3.3/4	2.3/64	7-185-551	77.35	
1.1/4	1.3/4	2.3/64	7-185-552	87.15	
	3.3/4	2.3/64	7-185-552	87.15	
1.1/4	1.3/4	2.3/64	7-185-553	94.15	
	3.3/4	2.3/64	7-185-553	94.15	
1	1	2.3/8	7-185-160	106.05	
	2	2.3/8	7-185-561	78.05	
1	1	2.3/8	7-185-562	98.00	
	2	2.3/8	7-185-563	98.35	
1	1	1.62	7-185-567	171.85	
	2	1.62	7-185-567	171.85	
1.1/4	1.1/4	2.3/4	7-185-170	106.05	
	2	2.3/4	7-185-571	89.60	
1.1/4	1.1/4	2.3/4	7-185-572	95.20	
	2	2.3/4	7-185-572	95.20	
1.1/4	1.1/4	1.88	7-185-573	100.80	
	2	1.88	7-185-573	100.80	
1.1/2	1.1/2	2.3/4	7-185-577	191.45	
	2	2.3/4	7-185-577	191.45	
1.1/2	1.1/2	3.9/64	7-185-180	108.85	
	2	3.9/64	7-185-581	100.10	
1.1/2	1.1/2	3.9/64	7-185-582	111.30	
	2	3.9/64	7-185-582	111.30	
1.1/2	1.1/2	3.9/64	7-185-583	122.15	
	2	3.9/64	7-185-583	122.15	
1.1/2	1.1/2	3.15/16	7-185-591	113.40	
	2	3.15/16	7-185-591	113.40	
1.1/2	1.1/2	3.15/16	7-185-592	123.90	
	2	3.15/16	7-185-592	123.90	
1.1/2	1.1/2	3.15/16	7-185-593	150.50	
	2	3.15/16	7-185-593	150.50	
1.1/2	1.1/2	3.15/16	7-185-595	154.00	
	2	3.15/16	7-185-595	154.00	



ANGLOCK
D-SERIES VISES



SALE
Model D675
\$ 409.⁰⁰

Vise D675 Sale Price Ends 6-30-10

MODEL	JAW WIDTH	JAW OPENING	WEIGHT LBS	PART# 8-500	SALE PRICE
D40	4"	3.78"	36	040	578.77
D675	6"	7.50"	80	066	409.00
D688	6"	8.80"	78	068	497.79
D810	8"	10"	158	088	1335.95
D100	10"	9.34"	300	090	2533.13

BASS TOOL

713-682-1889

800-442-0042

FREE LOCAL DELIVERY



HANGSTERFER'S
Research, Development & Manufacturing of Metalworking Lubricants

S-500
COOLANTS

Switch to
The Fastest
Growing Coolant in the
Industry.

BUY 1 GET 1 FREE

- A. New Hangsterfer's Users
- B. Existing Hangsterfer's Users with New Machine



Starrett
Versatix
Band Saw
Blades

UPGRADE TO THE
CUTTING EDGE IN
BANDSAW TECHNOLOGY.



HDM690 VISE

The Ultimate Vise
from Kurt with
9" Opening

NEW



- A full 9 inch opening between jaws
- Less deflection of stationary jaw. Wider more stable stationary jaw equals less deflection.
- Taller body design equals less deflection under clamping loads.
- Narrower body width allows more vises in the same work envelope.
- Stationary jaw bolts down from top. No need to remove from table to disassemble vise.
- Quick change movable jaw.

PART NO. 8-500-069

\$ 607.20

