



BASS TOOL & SUPPLY, INC. 2013 CATALOG (DIGITAL VERSION)

README FILE

Note: Also included on your USB drive is a "Credit Application" to open up a line of credit with us, and our Product "Linesheet".

- To open the digital version of the Bass catalog, double-click on the icon named "**BASS TOOL & SUPPLY, INC..exe**".
- (1) The **Table of Contents** is on the left-hand side of the screen. Click any item to go to that section. You can also hide the Table of Contents by clicking the icon furthest left on the bottom left-hand side.
- All page numbers in the index are **clickable!** Simply click on any number and you will be automatically taken to that page.
- (2) To **turn the page**, there are a few options:
 - a) Click and drag from the edge of the page
 - b) Click on the edge of the page
 - c) Click the sidebar marked with an arrow on the far edge of the page
 - d) Use the navigational arrows at the bottom right-hand side of the screen
- (3) To **zoom in on a page**, simply double-click in the middle of that page, or click the magnifying glass icon located at the bottom left-hand side of the screen. To scroll up and down, hold down your mouse button on the page or use your mouse wheel. Double-click or click the magnifying glass again to zoom back out.
- (4) The **search bar** is located in the upper right-hand corner. Type in a word and hit the 'ENTER' key to see all instances of it in the catalog. The results will appear on the left-hand side. Click any result to be taken to the page where it appears.
- (5) Enter any page number in the **white box** at the top of the screen to go directly to that page.
- (6) To **enter full-screen mode**, hold down the keys 'CTRL' and 'F', or choose "Full Screen" from the View menu at the top left-hand side of the screen. To exit full-screen mode, hit the 'ESC' key on your keyboard.
- If you are interested in opening a line of credit with us, please print and fill out the "Credit Application" form that can be found on your Bass Tool USB, and fax the completed form to 713-682-3810. We will also need three references, at least two of which need to be tool suppliers.

Adobe Flash Player 11

FileViewControlHelp

1

Table of Contents

INDEX

DRILLS

HOLE CUTTERS

COUNTERBORES, COUNTERSINKS, DEBURRING TOOLS, CENTER DRILLS, DRILL BUSHING AND DRILL BLANKS

REAMERS

CARBIDE BURRS

END MILLS

CUTTERS

TAPS & DIES

THREAD GAGES, THREAD REPAIR KITS & ACCESSORIES

BROACHES, TOOL BITS, HOLDERS & FLY CUTTERS

CARBIDE

BANDSAW BLADES, FILES DEBURRING

ABRASIVES

MEASURING INSTRUMENTS

MARKING & STAMPING

BORING SYSTEMS

V-FLANGE TOOLING

CAPTO SYSTEMS

VE & STATIC TOOLING

HOLDERS & ADAPTERS

DRILL CHUCKS

Expand All

BASS TOOL & SUPPLY, INC. | pages: 410-411 / 1676

5

4

Bass Tool & Supply, Inc.
www.basstool.com

Houston
(713) 682-1889

FAX
(713) 681-4931

Toll Free
800-442-0042

US22
CUTTING TOOL

Made in the USA

THREAD FORMING TAPS

PLUG & BOTTOMING
HIGH SPEED STEEL

USED IN STAINLESS STEELS, CARBON STEEL, BRASS, COPPER, LEAD, LEADED STEEL AND ZINC. DUCTILE MATERIALS PRODUCING STRINGY CHIPS ARE A GOOD CANDIDATE FOR FORMING.

TOOL LIFE 3-4 TIMES OR MORE THAN STANDARD TAPS

TIN COATED

METRIC
TIN COATED

INCH SIZES

SIZE	H LIMIT	# OF LUBE GROOVES	PART# 22-380	PLUG	BOTTOM	PRICE
0-30	H2	1	-	92900	14.42	
0-30	H3	1	-	92902	14.42	
1-84	H2	1	-	92904	14.42	
1-72	H2	1	-	92906	14.42	
2-58	H2	1	-	92908	14.33	
2-58	H3	1	-	92910	14.33	
2-64	H2	1	-	92912	14.33	
2-64	H3	1	-	92914	14.33	
3-48	H2	1	-	92916	14.33	
3-48	H3	1	-	92918	14.33	
3-56	H2	1	-	92920	14.33	
3-56	H3	1	-	92922	14.33	
4-40	H3	1	92923	92924	12.92	
4-40	H5	1	92925	92926	12.92	
4-48	H3	1	92927	92928	12.92	
4-48	H5	1	92929	92930	12.92	
5-40	H3	1	92931	92932	12.92	
5-40	H5	1	92933	92934	12.92	
5-44	H3	1	92935	92936	12.92	
5-44	H5	1	92937	92938	12.92	
6-32	H3	1	92939	92940	16.84	
6-32	H5	1	92941	92942	16.84	
6-32	H7	1	92943	92944	16.84	
6-40	H3	1	92945	92946	16.84	
6-40	H5	1	92947	92948	16.84	
8-32	H3	1	92949	92950	16.84	
8-32	H5	1	92951	92952	16.84	
8-32	H7	1	92953	92954	16.84	
8-36	H3	1	92955	92956	16.84	
10-24	H4	1	92957	92958	16.24	
10-24	H5	1	92959	92960	16.24	
10-32	H4	1	92961	92962	16.24	
10-32	H5	1	92963	92964	16.24	
12-24	H4	2	92965	92966	16.24	
12-24	H5	2	92967	92968	16.24	
12-28	H4	2	92969	92970	16.24	
14-20	H3	2	92971	92972	16.88	
14-20	H4	2	92973	92974	16.88	
14-20	H5	2	92975	92976	16.88	
14-28	H4	2	92977	92978	16.88	
14-28	H5	2	92979	92980	16.88	
5/16-18	H5	2	92981	92982	12.07	
5/16-18	H7	2	92983	92984	12.07	
5/16-24	H5	2	92985	92986	12.07	
5/16-24	H7	2	92987	92988	12.07	
3/8-16	H5	2	92989	92990	12.07	
3/8-16	H7	2	92991	92992	13.78	
3/8-24	H5	2	92993	92994	13.78	
3/8-24	H7	2	92995	92996	13.78	
7/16-14	H5	2	92997	92998	20.97	
7/16-14	H7	2	92999	93000	20.97	
7/16-20	H5	2	93001	93002	20.97	
7/16-20	H7	2	93003	93004	20.97	
1-12	H5	2	93005	93006	20.97	
1-12	H7	2	93007	93008	20.97	
1-12	H5	2	93009	93010	20.97	
1-12	H7	2	93011	93012	20.97	
1-12	H5	2	93013	93014	20.97	

NACHI

NACHI VTP COLD FORMING FLUTELESS TAPS (ROLL TAPS)

VANADIUM HIGH SPEED STEEL

TAP SIZE	LIMIT	DRILL FOR 50-85%	PLUG	BOTTOM	PRICE EACH
0-30	H2	#54	---	82003	21.85
1-84	H2	#51	---	82009	21.85
1-72	H2	#51	---	82015	23.81
2-58	H2	#47	---	82021	23.56
2-58	H3	#47	---	82024	23.56
2-64	H2	2.0mm	---	82030	21.81
2-64	H3	2.0mm	---	82033	21.81
3-48	H2	2.3mm	---	82039	21.81
3-48	H3	2.3mm	---	82042	21.81
3-56	H2	2.3mm	---	82048	16.21
3-56	H3	2.3mm	---	82051	23.56
4-40	H3	#35	82059	82067	19.81
4-40	H5	#35	82062	82065	19.81
4-48	H3	2.8mm	82068	82069	19.81
4-48	H5	2.8mm	82074	82075	19.81
5-40	H3	2.9mm	82080	82081	19.81
5-40	H5	2.9mm	82086	82087	19.81
5-44	H3	#32	82092	82093	19.81
5-44	H5	#32	82098	82099	19.81
6-32	H3	1/8	82104	82105	16.13
6-32	H5	1/8	82110	82111	16.13
6-32	H10	1/8	82119	82120	16.13
6-40	H3	3/32mm	82122	82123	16.13
6-40	H5	3/32mm	82128	82129	16.13
8-32	H3	3/8mm	82140	82141	17.59
8-32	H5	3/8mm	82146	82147	16.13
8-32	H10	3/8mm	82152	82153	16.13
8-36	H3	#34	82158	82159	16.13
8-36	H5	#34	82164	82165	16.13
10-24	H4	11/64	82179	82180	16.13
10-24	H5	11/64	82185	82186	16.13
10-24	H10	11/64	82191	82192	16.13
10-32	H4	#16	82200	82201	16.13
10-32	H5	#16	82206	82207	16.13
10-32	H10	#16	82212	82213	16.13
12-24	H4	#8	82218	82219	17.07
12-24	H5	#8	82224	82225	17.07

VEGAROLL - THREAD FORM TAPS - COBALT H.S.S. TIN COATED

VEGATAPS - XCR
PLUG & BOTTOMING

For Tapping:
• Stainless Steels
• Medium Carbon Steel
• Low Carbon Steels
• Aluminum

INCH CLASS FIT 2B

SIZE	STYLE	PART# 014	TIN PRICE
0-80	B	93732T	28.68
2-58	B	93738T	28.48
3-48	B	93742T	23.71
4-40	B	93744T	21.90
6-32	P	93791T	18.92
6-32	B	93792T	18.92
6-32	P	93795T	18.92
6-32	B	93796T	18.92
10-24	P	93829T	18.92
10-24	B	93830T	18.92
10-32	P	93831T	18.92
10-32	B	93832T	18.92

METRIC SIZES - CLASS FIT 6H

SIZE	STYLE	PART# 014	TIN PRICE
M3 X .5	B	93900T	28.48
M3 X .5	P	93901T	28.50
M4 X .7	B	93902T	20.83
M4 X .7	P	93903T	20.83
M5 X .8	B	93904T	20.83
M5 X .8	P	93905T	20.83
M6 X 1	B	93906T	21.27
M6 X 1	P	93907T	21.27
M8 X 1.25	B	93908T	24.69
M8 X 1.25	P	93909T	24.69
M10 X 1.5	B	94000T	33.60
M10 X 1.5	P	94001T	36.81

Bass Tool & Supply, Inc.
www.basstool.com

Houston
(713) 682-1889

FAX
(713) 681-4931

Toll Free
800-442-0042

BALAX

BALAX THREDFLO

ORDERING INSTRUCTIONS:
USE P/N AS SHOWN BELOW:
BAL - XXXXX - XXX XX

Machine Screw and Fractional Size Thredfloors

SIZE	BASIC EDP#	HOLE SIZE REQUIRED	*H* NUMBER PER CLASS	2B	3B	2
1-24	10725	1.25	1.25	1.25	1.25	1.25
1-28	10726	1.25	1.25	1.25	1.25	1.25
1-32	10727	1.25	1.25	1.25	1.25	1.25
1-36	10728	1.25	1.25	1.25	1.25	1.25
1-40	10729	1.25	1.25	1.25	1.25	1.25
1-44	10730	1.25	1.25	1.25	1.25	1.25
1-48	10731	1.25	1.25	1.25	1.25	1.25
1-52	10732	1.25	1.25	1.25	1.25	1.25
1-56	10733	1.25	1.25	1.25	1.25	1.25
1-60	10734	1.25	1.25	1.25	1.25	1.25
1-64	10735	1.25	1.25	1.25	1.25	1.25
1-68	10736	1.25	1.25	1.25	1.25	1.25
1-72	10737	1.25	1.25	1.25	1.25	1.25
1-76	10738	1.25	1.25	1.25	1.25	1.25
1-80	10739	1.25	1.25	1.25	1.25	1.25
1-84	10740	1.25	1.25	1.25	1.25	1.25
1-88	10741	1.25	1.25	1.25	1.25	1.25
1-92	10742	1.25	1.25	1.25	1.25	1.25
1-96	10743	1.25	1.25	1.25	1.25	1.25
1-100	10744	1.25	1.25	1.25	1.25	1.25
1-104	10745	1.25	1.25	1.25	1.25	1.25
1-108	10746	1.25	1.25	1.25	1.25	1.25
1-112	10747	1.25	1.25	1.25	1.25	1.25
1-116	10748	1.25	1.25	1.25	1.25	1.25
1-120	10749	1.25	1.25	1.25	1.25	1.25
1-124	10750	1.25	1.25	1.25	1.25	1.25
1-128	10751	1.25	1.25	1.25	1.25	1.25
1-132	10752	1.25	1.25	1.25	1.25	1.25
1-136	10753	1.25	1.25	1.25	1.25	1.25
1-140	10754	1.25	1.25	1.25	1.25	1.25
1-144	10755	1.25	1.25	1.25	1.25	1.25
1-148	10756	1.25	1.25	1.25	1.25	1.25
1-152	10757	1.25	1.25	1.25	1.25	1.25
1-156	10758	1.25	1.25	1.25	1.25	1.25
1-160	10759	1.25	1.25	1.25	1.25	1.25
1-164	10760	1.25	1.25	1.25	1.25	1.25
1-168	10761	1.25	1.25	1.25	1.25	1.25
1-172	10762	1.25	1.25	1.25	1.25	1.25
1-176	10763	1.25	1.25	1.25	1.25	1.25
1-180	10764	1.25	1.25	1.25	1.25	1.25
1-184	10765	1.25	1.25	1.25	1.25	1.25
1-188	10766	1.25	1.25	1.25	1.25	1.25
1-192	10767	1.25	1.25	1.25	1.25	1.25
1-196	10768	1.25	1.25	1.25	1.25	1.25
1-200	10769	1.25	1.25	1.25	1.25	1.25
1-204	10770	1.25	1.25	1.25	1.25	1.25
1-208	10771	1.25	1.25	1.25	1.25	1.25
1-212	10772	1.25	1.25	1.25	1.25	1.25
1-216	10773	1.25	1.25	1.25	1.25	1.25
1-220	10774	1.25	1.25	1.25	1.25	1.25
1-224	10775	1.25	1.25	1.25	1.25	1.25
1-228	10776	1.25	1.25	1.25	1.25	1.25
1-232	10777	1.25	1.25	1.25	1.25	1.25
1-236	10778	1.25	1.25	1.25	1.25	1.25
1-240	10779	1.25	1.25	1.25	1.25	1.25
1-244	10780	1.25	1.25	1.25	1.25	1.25
1-248	10781	1.25	1.25	1.25	1.25	1.25
1-252	10782	1.25	1.25	1.25	1.25	1.25
1-256	10783	1.25	1.25	1.25	1.25	1.25
1-260	10784	1.25	1.25	1.25	1.25	1.25
1-264	10785	1.25	1.25	1.25	1.25	1.25
1-268	10786	1.25	1.25	1.25	1.25	1.25
1-272	10787	1.25	1.25	1.25	1.25	1.25
1-276	10788	1.25	1.25	1.25	1.25	1.25
1-280	10789	1.25	1.25	1.25	1.25	1.25
1-284	10790	1.25	1.25	1.25	1.25	1.25
1-288	10791	1.25	1.25	1.25	1.25	1.25
1-292	10792	1.25	1.25	1.25	1.25	1.25
1-296	10793	1.25	1.25</			

If you have any questions or issues with the file, please contact:

Markie Baker

mbaker@basstool.com

713-275-5919