

Continued on Next Page

# **Material Safety Data Sheet**

Section 1. Chemical Product and Company Identification				
Common Name	Hangsterfer's Hard Cut ® 5418	Code	H-HC5418-03_D	
Cumplion	Company Name:	MSDS#	00135	
Supplier	Company Name: Company Address:	Validation Da	te 4/1/2003	
	Phone: Fax:	<b>Print Date</b>	10/21/2003	
Synonym	Cutting Oil	In case of	Emergency Response: Chemtrec: (800) 424-9300 (USA) or (703) 527-3887 If there are any questions regarding this MSDS, contact Hangsterfer's Laboratories. Phone: (856) 468-0216.	
Trade name	Hard Cut 5418	Emergency		
Material Uses	Metal industry: Metalworking fluid			
Manufacturer	Hangsterfer's Laboratories P.O. Box 128 Mantua, NJ 08051 USA Phone: (856) 468-0216 Fax: (856) 468-0200			

Section 2. Composition and Information on Ingredients				
Name CAS # % by TLV/PEL LC <sub>50</sub> /LD <sub>50</sub> Weight				
No hazardous ingredient.				

Section 3. Hazards	Identification
Routes of Entry	Eyes: Highly unlikely - Flush eyes with running water for at least 15 minutes. Get medical attention if necessary.  Skin: Highly unlikely - Remove clothing and launder. Wipe off excess, and wash with mild soap and water. Inhalation: Highly unlikely - Place person in well ventilated area/location. Seek medical attention if necessary.  Ingestion: Highly unlikely - Do not induce vomiting. Seek immediate medical attention.
Potential Acute Health Effects	Non-irritating to the eyes. Non-corrosive for skin. Non-irritant for skin. Non-sensitizer for skin. Non-permeator by skin. Non-hazardous in case of inhalation. Very slightly to slightly irritating in case of ingestion.
Potential Chronic Health Effects	No known chronic health effects according to our database.  CARCINOGENIC EFFECTS: None. MUTAGENIC EFFECTS: None. TERATOGENIC EFFECTS: None.  The substance is not toxic to blood, kidneys, lungs, the nervous system, the reproductive system, liver, mucous membranes, heart, bladder, spleen, brain, digestive system, lymphatic system, peripheral nervous system, gastro-intestinal tract, cardiovascular system, upper respiratory tract, endocrins, immune system.

Section 4. First Aid Measures		
Eye Contact	Flush eyes with running water for at least 15 minutes, keeping eyelids open. COLD water may be used. Seek medical attention if necessary.	
Skin Contact	Wipe off excess, and wash with mild soap and water. Seek medical attention if necessary.	
<b>Hazardous Skin Contact</b>	No additional hazardous information.	
Inhalation	Place the person in a well ventilated area. Seek medical attention if necessary.	
Hazardous Inhalation	No additional hazardous information.	

Hangsterfer's Ha	rd Cut 5418	Page Number: 2
Ingestion	Do not induce vomiting. Have conscious person drink several glasses of water or mil breathing, perform mouth-to-mouth resuscitation. Seek medical attention immed container, label or Material Safety Data Sheet.	
<b>Hazardous Ingestion</b>	No additional hazardous information.	

Section 5. Fire and E	Section 5. Fire and Explosion Data		
Flammability of the Product	Combustible at elevated temperatures.		
<b>Auto-Ignition Temperature</b>	Not determined.		
Flash Points	OPEN CUP: 176°C (350°F) (Cleveland).		
Flammable Limits	LOWER: 1% UPPER: 7%		
<b>Products of Combustion</b>	Products of combustion can include carbon oxides(CO, CO <sub>2</sub> ), HCl, and sulfur oxides(SO <sub>2</sub> , SO <sub>3</sub> ).		
Fire Hazards in Presence of Various Substances	Very slightly to slightly flammable in presence of open flames and sparks.  Non-flammable in presence of shocks, of heat, of oxidizing materials, of reducing materials, of combustible materials, of organic materials, of metals, of acids, of alkalis, of moisture.		
Explosion Hazards in Presence of Various Substances	Non-explosive in presence of shocks, of heat, of oxidizing materials, of reducing materials, of combustible materials, of organic materials, of metals, of acids, of alkalis, of moisture.		
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemicals, CO <sub>2</sub> , water spray or foam. LARGE FIRE: Use water spray, fog or foam. DO NOT use water jet.		
Special Remarks on Fire Hazards	No additional remark.		
Special Remarks on Explosion Hazards	No additional remark.		

Section 6. Accidental Release Measures		
Small Spill	Mop up or absorb with an inert DRY material and place in an appropriate container.	
Large Spill	Combustible material at elevated temperatures. Keep away from open flames, sparks, and sources of ignition. Stop leak if without risk. Mop up or absorb and place in appropriate container(s).	

Section 7. Handling and Storage		
Handling	Avoid contact with eyes. Keep container closed. Use in a well-ventilated area. Wash thoroughly after handling. Do not puncture or incinerate container(s).	
Storage	Store in a cool, dry, well-ventilated area and out of direct sunlight. Keep away from open flames, sparks, and sources of ignition. Emptied containers may contain product residues. Precautions also apply to product residues.	

Section 8. Exposure Controls/Personal Protection			
<b>Engineering Controls</b>	Good general ventilation should be sufficient to control airborne levels if user/worker activities generate mist(s). However, local exhaust ventilation may be necessary in areas of poor ventilation.		
Personal Protection	Safety glasses. Work Apparel . Gloves.		
Personal Protection in Case of a Large Spill Splash glasses/goggles. Full suit. Boots. Gloves. Suggested clothing should be sufficient; manufacturer regarding questions with this product.			
Chemical Name or Product Na	ame	CAS#	Exposure Limits
Severely Refined Petroleum Distillates(light): If mists are generated, the following exposure limits apply:		64742-53-6	TWA: 10 (mg/m³) from ACGIH (TLV) TWA: 5 (mg/m³) from OSHA (PEL)

### Continued on Next Page

Hangsterfer's	Hard	Cut 5418
---------------	------	----------

Page Number: 3

Section 9. Physical and Chemical Properties				
Physical state and appearance	Liquid.	Odor	Mild	
Molecular Weight	Not applicable.	Taste	Bland	
pH (10% Soln/Water)	Not applicable.	Color	Red	
<b>Boiling Point</b>	>200°C (392°F).			
<b>Melting Point</b>	May start to solidify at -39°C (-38°F).			
Critical Temperature	Not determined.			
Specific Gravity	NA			
Vapor Pressure	<0.01 mm of Hg (@ 20°C)			
Vapor Density	>5 (Air = 1)			
Volatility	VOC Content: 0.0% (v/v).			
Odor Threshold	Not determined.			
<b>Evaporation rate</b>	<0.01 [Butyl acetate.]			
Viscosity	NA			
Water/Oil Dist. Coeff.	The product is more soluble in oil.			
Ionicity (in Water)	Not applicable.			
Dispersion Properties	Partially dispersed in acetone, diethyl ether, n-oct Very slightly dispersed in methanol. Is not dispersed in cold water, hot water. See solubility in water, methanol, n-octanol, aceto			
Solubility	Easily soluble in diethyl ether. Soluble in acetone, n-octanol. Partially soluble in methanol. Insoluble in cold water, hot water.			
<b>Physical Chemical Comments</b>	No additional remark.			

Section 10. Stability and Reactivity Data		
Chemical Stability The product is stable.		
<b>Conditions of Instability</b>	No additional remark.	
Incompatibility with various substances	Reactive with acids. Slightly reactive to reactive with oxidizing agents. Very slightly to slightly reactive with alkalis. Non-reactive with reducing agents, combustible materials, organic materials, metals, moisture.	
Hazardous Decomposition Products	Decomposition can result in release of carbon oxides(CO, CO <sub>2</sub> ), HCl, and sulfur oxides(SO <sub>2</sub> , SO <sub>3</sub> ).	
Hazardous Polymerization	Will not occur.	

Section 11. Toxicological Information			
<b>Toxicity to Animals</b>	Acute oral toxicity (LD50): >5000 mg/kg (Rat). Acute Dermal Irritation/Corrosion (OECD 404): Result: Non-irritating and Non-corrosive(Rabbit).		
<b>Chronic Effects on Humans</b>	No known chronic effects on humans.		
Other Toxic Effects on Humans	No additional remark.		
Special Remarks on Toxicity to Animals	No additional remark.		
Special Remarks on Chronic Effects on Humans	No additional remark.		
Special Remarks on other Toxic Effects on Humans	No additional remark.		

Section 12. Ecological Information		
Ecotoxicity	Not determined to be an ecotoxin.	
BOD5 and COD	Contact the manufacturer for further information.	
<b>Products of Biodegradation</b>	Products of biodegradation can include carbon oxides(CO, CO <sub>2</sub> ), HCl, and sulfur oxides(SO <sub>2</sub> , SO <sub>3</sub> ).	
Toxicity of the Products of Biodegradation	The products of degradation are non-toxic.	
Special Remarks on the Products of Biodegradation	No additional remark.	

Section 13. Disposal Considerations		
Waste Disposal	Recycle to process, if possible. Consult your local or regional authorities. Dispose of in accordance with local and federal regulations. Contact the manufacturer for further information.	

Section 14. Transport Information			
<b>DOT Classification</b>	Not a DOT controlled material in the United States of America(U.S.A.). Product is considered safe for transport in the U.S.A. Product is not regulated by the United Nations(U.N.).		
<b>Propper Shipping Name</b>	NONE		
DOT Identification Number	Not applicable (PIN and PG).		
Packing Group	NONE		
Hazardous Substances Reportable Quantity	Not applicable.		
Special Provisions for Transport	No special provisions for transport.		
TDG Classification	Not controlled under TDG (Canada).		
IMDG Classification	Not controlled under IMDG.		
IATA Classification	Not controlled under IATA.		

#### Hangsterfer's Hard Cut 5418

Page Number: 5

Section 15. Regulatory Information					
Federal and State Regulations	All ingredients that make up this product are listed on the TSCA inventory and are approved for industruse in the U.S.A.				
	None of the ingredic	ents that make up this product are listed on or regulated by Proposition 65(CA).			
	· ·	All ingredients that make up this product are listed on the Canadian Domestic Substances List(DSL/and are approved for import and use in Canada.			
Other Classifications	WHMIS (Canada)	Not controlled under WHMIS (Canada).			
	DSCL (EEC)	Not controlled under DSCL (Europe).			
		Japan: Not controlled under the Chemical Substance Control Law(MITI).			

Assessment Act(NICNAS).

#### Section 16. Other Information

#### HMIS (U.S.A.)



National Fire Protection Association (U.S.A.)

Health

Australia: Not controlled under the National Industrial Chemicals Notification and



Fire Hazard

Reactivity

Specific hazard

#### References

Manufacturer's Information Database.

## Other Special Considerations

Mineral Oil mist(s) may develop when the product is misted. Exposure limits for such mist(s): OSHA PEL: 5.0 mg/m3 (8-hour TWA). ACGIH TLV: 5.0 mg/m3. ACGIH STEL: 10.0 mg/m3.

The chlorinated paraffins that make up one of the ingredients of this product are long-chain chlorinated paraffins, those paraffins having an average chain length greater than C<sub>18</sub>

IP 346 DMSO Solvent Extractable Polycyclic Aromatic Hydrocarbons (PCA's, PAH's): Pass

Validated by Manufacturer on 4/1/2003.

Verified by Company.

Printed 10/21/2003.

Emergency Response: Chemtrec: (800) 424-9300 (USA) or (703) 527-3887 If there are any questions regarding this MSDS, contact Hangsterfer's Laboratories. Phone: (856) 468-0216.

#### **Notice to Reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.